



# Table of Contents



**P2. Table of Contents**

**P3. Milestone**

**P4. About Us**

**P5-P7 Product : Copper Cathodes**

**P8-P15 Certificated of Copper Cathodes**

**P16-22 Case Study of Copper Cathodes**


# Milestone

In 1985, Creation group was founded starting from Textile.

Gensky Group Limited was established in 2005

Joint venture with Solar panel factory in China by 2014

WMTC certified DNVGL tests passed TMP certified





# About Us

---

## **33 years proven business since 1985**

**Our group is in diversified business scopes, 33 years proven business since 1985. Creation group was founded in 1985 starting from Textile. TCF was established in 1996. The major business is supply of main fabrics and garnitures for PLCE (personal load carrier equipment), sleeping bag, army uniform and personal backpack.**

**HBKCS has started launching the R&D of LED street lights since 2006 and was then formally established in 2010 manufacturing of the LED street lights within a healthy financial status.**

**Afterwards in 2012 we built the turnkey solution team for being as the EPC contractor for solar power plant. In 2014 we also joined the JV panel factory for the manufacturing of the solar panel, solar cells, and integration business (turnkey solution) in green energy field. HBKCS obtains 3 times IEC certificates and on site power measurement validation in 2015. And in 2016 we extent our business scope in supply of copper cathodes.**

**Hope the diversification of our company with the excellent experience can bring the customers satisfaction, we are looking for opportunities to provide our quality products with good service to create better future.**





# Product : Copper Cathodes

---



# Product : Copper Cathodes










# Product : Copper Cathodes

---



# Certifications of Copper Cathodes

 <p><b>Vaal Metallurgische Laboratoriums (PTY) Ltd</b> 7 Brett's Lane, 21 Telford Street, Duncanville, Vereeniging, 1939. Tel: 016 455 2000/1 081 251 7742 or 081 252 2494 E-mail: info@vml.co.za Fax to E-mail: 086 653 1208</p>		TEST REPORT IN ACCORDANCE WITH EN 10204 3.1					REPORT NUMBER		4732/17/A			
		CUSTOMER:		HBKCS International Co., Ltd			DATE TESTED:		2017/12/16			
		ADDRESS:		Unit 706, Haleson Building, No.1 Jubilee Street, Hong Kong			MATERIAL SPEC:		Copper Cathode			
		TELEPHONE:		+852-3748-9557			Total Gross Weight (kg)		500 000.00			
		E-MAIL:		taiwan-tcf@umail.hinet.net / hbkcs.international@gmail.com								
CONTACT:		Mr. Clyde Lee / Ms. Emily Chao										
CHEMICAL ANALYSIS		TEST SPECIFICATION: VML-QTY-MTD-0007										
ELEMENT Copper Base		Cu %	Fe %	Mn %	Ni %	Te %	S %	As %	Sb %	Ag%	Pb %	Mg %
Lot Number												
70020		99.9	0.00960	0.00079	<0.0005	0.0197	0.00281	0.00555	0.0296	0.00207	0.00357	<0.0001
70098		99.9	0.00597	0.00085	<0.0005	0.0311	0.00225	0.00471	0.0242	0.00213	<0.0020	0.00019
72022		99.9	0.00417	0.00081	<0.0005	0.0202	0.00231	0.00686	0.0338	0.00198	0.00302	<0.0001
70021		99.9	0.00770	0.00087	<0.0005	0.0293	0.00203	0.00642	0.0239	0.00188	0.00553	<0.0001
73381		99.9	0.00828	0.0008	<0.0005	0.0495	0.00262	0.00768	0.0204	0.00199	0.00369	0.0002
700276		99.9	0.00556	0.00065	0.0010	<0.0030	0.00249	0.00569	0.0373	0.0021	0.00442	<0.0001
ELEMENT Copper Base		Al %	Co %	Cr %								
Lot Number												
70020		<0.0005	0.00058	<0.0002								
70098		<0.0005	0.00069	<0.0002								
72022		<0.0005	0.00080	0.00025								
70021		<0.0005	0.00078	<0.0002								
73381		<0.0005	0.00121	<0.0002								
700276		<0.0005	0.00110	<0.0002								
Results expressed in %. Note: All specification values maximum unless otherwise stated.												
		Tests requested, in accordance with spec. provided					N/A		 AM Saayman 2017/12/18 <b>TECHNICAL SIGNATORY</b>			
		Tests requested, NOT in accordance with spec. provided										
		No requirements provided - (FOR INFORMATION ONLY)			x							
		REMARKS:			Initial analysis performed on location at Steinweg / Bridge port Warehouse, PX Building, 151 South Coast Road, Rossburgh, 4094, Durban, South Africa.							
VML is accredited for the following methods: VML-QTY-MTD-0001 to 0011, 0013, 0022, 0030, 0031 and (Supporting international standard) ASTM E415												
Whilst making every effort to ensure the accuracy of our results, they are without guarantee or warranty. The test results relate only to the items tested. This test report shall not be reproduced except in full, and with written approval of VML management. Samples will be discarded after 30 days. Ambient temperature controlled at 23°C ± 5°C. Estimation of uncertainty available on request.												





# Certifications of Copper Cathodes

**DIA2000SE**

Date: 12/18/2017  
Time: 10:14:46 AM

## List of Analyses

Date: 12/18/2017



Time of Analysis: 9:51:55 AM

SampleNo 70020


Program Cu110

	Ag %	Al %	As %	Au %	B %	Be %	Bi %	Cd %	Co %	Cr %	Cu %
Value	0.00207	<0.0005	0.00555	0.00247	<0.0002	<0.0001	0.00450	<0.0002	0.00058	<0.0002	99.9
	Fe %	Mg %	Mn %	Ni %	O %	P %	Pb %	S %	Sb %	Se %	Si %
Value	0.00960	<0.0001	0.00079	<0.0005	<0.0070	0.00401	0.00357	0.00281	0.0296	0.00303	0.00123
	Sn %	Te %	Ti %	Zn %	Zr %						
Value	0.00033	0.0197	0.00020	0.00060	0.00061						

# Certifications of Copper Cathodes


CERTIFICATE OF ASSAY			
 <b>Alfred H Knight</b>			
REFERENCE 102962/O	DATE Aug 25 2017	PAGE 1 of 2	
CLIENT	MARKS		
	PACKING		
	SEALS	INTACT	
CLIENT REF 617176	MATERIAL DESCRIBED AS RUASHI COPPER CATHODE		
SAMPLING DATES			
ASSAY STATE AS RECEIVED	ASSAY TYPE FINAL AND BINDING	VESSEL	
<b>COPPER (Cu) DETERMINED BY DIFFERENCE</b>			
LOT NUMBER	[1]	[2]	[3]
LOT WEIGHT	44.225	43.942	43.774
UNITS	Dry Tonne	Dry Tonne	Dry Tonne
COPPER (Cu)	99.997	99.996	99.997
SULPHUR (S)	16.6	19.1	15.9
IRON (Fe)	5.2	7.7	4.4
LEAD (Pb)	1.2	3.5	1.1
TELLURIUM (Te)	< 2	< 2	< 2
ZINC (Zn)	< 0.5	< 0.5	< 0.5
COBALT (Co)	< 1.3	< 1.1	< 1.1
TIN (Sn)	< 1	< 1	< 1
SILICON (Si)	< 1	< 1	< 1
ANTIMONY (Sb)	< 1	< 1	< 1
SELENIUM (Se)	< 0.5	< 0.5	< 0.5
PHOSPHORUS (P)	< 0.5	< 0.5	< 0.5
NICKEL (Ni)	< 0.5	< 0.5	< 0.5
MANGANESE (Mn)	< 0.5	< 0.5	< 0.5
CHROMIUM (Cr)	< 0.5	< 0.5	< 0.5
CADMIUM (Cd)	< 0.5	< 0.5	< 0.5
BISMUTH (Bi)	< 0.5	< 0.5	< 0.5
ARSENIC (As)	< 0.5	< 0.5	< 0.5
SILVER (Ag)	< 0.5	< 0.5	< 0.5
<p style="text-align: right;">   <b>Nigel Golborne</b>  Laboratory Director  For and on behalf of ALFR EDH KNIGHT INTERNATIONAL LIMITED </p>			
<p style="text-align: center;"> <b>ALFRED H. KNIGHT INTERNATIONAL LIMITED</b>  Site A: Eccleston Grange, Prescott Road, St. Helens, Merseyside, WA10 3BQ, U.K. Site B: AHK, Lea Green Business Park, Eurolink, St. Helens, WA9 4TR, U.K.  Tel: +44 (0) 1744 733767 Fax: +44 (0) 1744 27062 e-mail: enquiries@ahkgroup.com  ALL WORK IS UNDERTAKEN SUBJECT TO OUR STANDARD TRADING TERMS AND CONDITIONS OF BUSINESS </p>			

# Certifications of Copper Cathodes


CERTIFICATE OF ASSAY																																																																																											
 <b>Alfred H Knight</b>																																																																																											
REFERENCE 102962/O	DATE Aug 25 2017	PAGE 2 of 2																																																																																									
CLIENT	MARKS																																																																																										
	PACKING																																																																																										
	SEALS INTACT																																																																																										
CLIENT REF 617176	MATERIAL DESCRIBED AS RUASHI COPPER CATHODE																																																																																										
SAMPLING DATES																																																																																											
ASSAY STATE AS RECEIVED	ASSAY TYPE FINAL AND BINDING	VESSEL																																																																																									
<p><b>COPPER (Cu) DETERMINED BY DIFFERENCE</b></p> <table border="1"> <thead> <tr> <th>LOT NUMBER</th> <th>[4]</th> <th>[5]</th> <th>[6]</th> </tr> <tr> <th>LOT WEIGHT</th> <th>43.610</th> <th>43.648</th> <th>43.817</th> </tr> <tr> <th>UNITS</th> <th>Dry Tonne</th> <th>Dry Tonne</th> <th>Dry Tonne</th> </tr> </thead> <tbody> <tr> <td>COPPER (Cu) %</td> <td>99.996</td> <td>99.997</td> <td>99.996</td> </tr> <tr> <td>SULPHUR (S) PPM</td> <td>18.8</td> <td>13.8</td> <td>17.5</td> </tr> <tr> <td>IRON (Fe) PPM</td> <td>8.7</td> <td>4.1</td> <td>5.6</td> </tr> <tr> <td>LEAD (Pb) PPM</td> <td>2.8</td> <td>1.2</td> <td>4.8</td> </tr> <tr> <td>TELLURIUM (Te) PPM</td> <td>&lt; 2</td> <td>&lt; 2</td> <td>&lt; 2</td> </tr> <tr> <td>ZINC (Zn) PPM</td> <td>&lt; 1.9</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>COBALT (Co) PPM</td> <td>&lt; 1.2</td> <td>&lt; 1.1</td> <td>&lt; 1.1</td> </tr> <tr> <td>TIN (Sn) PPM</td> <td>&lt; 1</td> <td>&lt; 1</td> <td>&lt; 1</td> </tr> <tr> <td>SILICON (Si) PPM</td> <td>&lt; 1</td> <td>&lt; 1</td> <td>&lt; 1</td> </tr> <tr> <td>ANTIMONY (Sb) PPM</td> <td>&lt; 1</td> <td>&lt; 1</td> <td>&lt; 1</td> </tr> <tr> <td>SELENIUM (Se) PPM</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>PHOSPHORUS (P) PPM</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>NICKEL (Ni) PPM</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>MANGANESE (Mn) PPM</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>CHROMIUM (Cr) PPM</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>CADMIUM (Cd) PPM</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>BISMUTH (Bi) PPM</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>ARSENIC (As) PPM</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>SILVER (Ag) PPM</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> </tbody> </table>				LOT NUMBER	[4]	[5]	[6]	LOT WEIGHT	43.610	43.648	43.817	UNITS	Dry Tonne	Dry Tonne	Dry Tonne	COPPER (Cu) %	99.996	99.997	99.996	SULPHUR (S) PPM	18.8	13.8	17.5	IRON (Fe) PPM	8.7	4.1	5.6	LEAD (Pb) PPM	2.8	1.2	4.8	TELLURIUM (Te) PPM	< 2	< 2	< 2	ZINC (Zn) PPM	< 1.9	< 0.5	< 0.5	COBALT (Co) PPM	< 1.2	< 1.1	< 1.1	TIN (Sn) PPM	< 1	< 1	< 1	SILICON (Si) PPM	< 1	< 1	< 1	ANTIMONY (Sb) PPM	< 1	< 1	< 1	SELENIUM (Se) PPM	< 0.5	< 0.5	< 0.5	PHOSPHORUS (P) PPM	< 0.5	< 0.5	< 0.5	NICKEL (Ni) PPM	< 0.5	< 0.5	< 0.5	MANGANESE (Mn) PPM	< 0.5	< 0.5	< 0.5	CHROMIUM (Cr) PPM	< 0.5	< 0.5	< 0.5	CADMIUM (Cd) PPM	< 0.5	< 0.5	< 0.5	BISMUTH (Bi) PPM	< 0.5	< 0.5	< 0.5	ARSENIC (As) PPM	< 0.5	< 0.5	< 0.5	SILVER (Ag) PPM	< 0.5	< 0.5	< 0.5
LOT NUMBER	[4]	[5]	[6]																																																																																								
LOT WEIGHT	43.610	43.648	43.817																																																																																								
UNITS	Dry Tonne	Dry Tonne	Dry Tonne																																																																																								
COPPER (Cu) %	99.996	99.997	99.996																																																																																								
SULPHUR (S) PPM	18.8	13.8	17.5																																																																																								
IRON (Fe) PPM	8.7	4.1	5.6																																																																																								
LEAD (Pb) PPM	2.8	1.2	4.8																																																																																								
TELLURIUM (Te) PPM	< 2	< 2	< 2																																																																																								
ZINC (Zn) PPM	< 1.9	< 0.5	< 0.5																																																																																								
COBALT (Co) PPM	< 1.2	< 1.1	< 1.1																																																																																								
TIN (Sn) PPM	< 1	< 1	< 1																																																																																								
SILICON (Si) PPM	< 1	< 1	< 1																																																																																								
ANTIMONY (Sb) PPM	< 1	< 1	< 1																																																																																								
SELENIUM (Se) PPM	< 0.5	< 0.5	< 0.5																																																																																								
PHOSPHORUS (P) PPM	< 0.5	< 0.5	< 0.5																																																																																								
NICKEL (Ni) PPM	< 0.5	< 0.5	< 0.5																																																																																								
MANGANESE (Mn) PPM	< 0.5	< 0.5	< 0.5																																																																																								
CHROMIUM (Cr) PPM	< 0.5	< 0.5	< 0.5																																																																																								
CADMIUM (Cd) PPM	< 0.5	< 0.5	< 0.5																																																																																								
BISMUTH (Bi) PPM	< 0.5	< 0.5	< 0.5																																																																																								
ARSENIC (As) PPM	< 0.5	< 0.5	< 0.5																																																																																								
SILVER (Ag) PPM	< 0.5	< 0.5	< 0.5																																																																																								
<p>LOT NUMBERS:</p> <table border="1"> <tbody> <tr> <td>[1]</td> <td>RM590/17/RT-061</td> </tr> <tr> <td>[2]</td> <td>RM588/17/RT-062</td> </tr> <tr> <td>[3]</td> <td>RM591/17/RT-063</td> </tr> <tr> <td>[4]</td> <td>RM593/17/RT-064</td> </tr> <tr> <td>[5]</td> <td>RM594/17/RT-065</td> </tr> <tr> <td>[6]</td> <td>RM595/17/RT-066</td> </tr> </tbody> </table>				[1]	RM590/17/RT-061	[2]	RM588/17/RT-062	[3]	RM591/17/RT-063	[4]	RM593/17/RT-064	[5]	RM594/17/RT-065	[6]	RM595/17/RT-066																																																																												
[1]	RM590/17/RT-061																																																																																										
[2]	RM588/17/RT-062																																																																																										
[3]	RM591/17/RT-063																																																																																										
[4]	RM593/17/RT-064																																																																																										
[5]	RM594/17/RT-065																																																																																										
[6]	RM595/17/RT-066																																																																																										
<p><i>Nigel Golborne</i>  Nigel Golborne  Laboratory Director  For and on behalf of ALFRED H. KNIGHT INTERNATIONAL LIMITED</p>																																																																																											
<p style="text-align: center;"><b>ALFRED H. KNIGHT INTERNATIONAL LIMITED</b></p> <p>Site A: Eccleston Grange, Prescott Road, St. Helens, Merseyside, WA10 3BG, U.K. Site B: AHK, Lea Green Business Park, Eurolink, St. Helens, WA9 4TR, U.K.  Tel: +44 (0) 1744 733757 Fax: +44 (0) 1744 270052 e-mail: enquiries@ahkgroup.com  ALL WORK IS UNDERTAKEN SUBJECT TO OUR STANDARD TRADING TERMS AND CONDITIONS OF BUSINESS</p>																																																																																											




# Certifications of Copper Cathodes

CERTIFICATE OF ASSAY			
 <b>Alfred H Knight</b>			
REFERENCE 103054/O	DATE Oct 04 2017	PAGE 1 of 5	
CLIENT	MARKS		
	PACKING		
	SEALS INTACT		
CLIENT REF 617176	MATERIAL DESCRIBED AS RUASHI COPPER CATHODE		
SAMPLING DATES			
ASSAY STATE AS RECEIVED	ASSAY TYPE FINAL AND BINDING	VESSEL	
<b>COPPER (Cu) DETERMINED BY DIFFERENCE</b>			
LOT NUMBER	RM686/17/RT102	RM685/17/RT103	RM684/17/RT104
LOT WEIGHT	43.958	43.744	43.895
UNITS	Dry Tonne	Dry Tonne	Dry Tonne
COPPER (Cu)	99.993	99.996	99.997
LEAD (Pb)	35.6	3.0	1.7
SULPHUR (S)	12.8	20.1	9.8
IRON (Fe)	5.3	6.7	6.0
TELLURIUM (Te)	< 2	< 2	< 2
ANTIMONY (Sb)	< 1.9	< 1	< 1
ZINC (Zn)	< 0.5	< 0.5	< 1.6
COBALT (Co)	1.0	1.3	0.8
TIN (Sn)	< 1	< 1	< 1
SILICON (Si)	< 1	< 1	< 1
NICKEL (Ni)	< 0.5	< 0.5	< 0.5
MANGANESE (Mn)	< 0.5	< 0.5	< 0.5
SELENIUM (Se)	< 0.5	< 0.5	< 0.5
PHOSPHORUS (P)	< 0.5	< 0.5	< 0.5
CHROMIUM (Cr)	< 0.5	< 0.5	< 0.5
CADMIUM (Cd)	< 0.5	< 0.5	< 0.5
BISMUTH (Bi)	< 0.5	< 0.5	< 0.5
ARSENIC (As)	< 0.5	< 0.5	< 0.5
SILVER (Ag)	< 0.5	< 0.5	< 0.5
<p style="text-align: right;">Nigel Golborne Laboratory Director For and on behalf of ALFRED H KNIGHT DRC SARI.</p>			
<p style="text-align: center;">ALFRED H KNIGHT DRC SARI 10b Avenue Kigoma, Quartier Industriel, Lubumbashi, Province du Katanga, RDC Tel: +243 81 708 7607 E-mail: ahk.drc@ahkgroupp.com Id. Nat: 6-83-N588195 RCCM: C04/SHURCCM/14-B-1472 No. Import: A1101382Q ALL WORK IS UNDERTAKEN SUBJECT TO OUR STANDARD TRADING TERMS AND CONDITIONS OF BUSINESS</p>			

# Certifications of Copper Cathodes


CERTIFICATE OF ASSAY																																																																																																																																							
 <b>Alfred H Knight</b>																																																																																																																																							
REFERENCE 103054/O	DATE Oct 04 2017	PAGE 2 of 5																																																																																																																																					
CLIENT	MARKS																																																																																																																																						
	PACKING																																																																																																																																						
	SEALS INTACT																																																																																																																																						
CLIENT REF 617176	MATERIAL DESCRIBED AS RUASHI COPPER CATHODE																																																																																																																																						
SAMPLING DATES																																																																																																																																							
ASSAY STATE AS RECEIVED	ASSAY TYPE FINAL AND BINDING	VESSEL																																																																																																																																					
<p><b>COPPER (Cu) DETERMINED BY DIFFERENCE</b></p> <table border="1"> <thead> <tr> <th>LOT NUMBER</th> <th>LOT WEIGHT</th> <th>UNITS</th> <th>RM683/17/RT105</th> <th>RM677/17/RT106</th> <th>RM677/17/RT107</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td>43.925</td> <td>43.728</td> <td>43.804</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Dry Tonne</td> <td>Dry Tonne</td> <td>Dry Tonne</td> </tr> <tr> <td>COPPER (Cu)</td> <td>%</td> <td></td> <td>99.997</td> <td>99.998</td> <td>99.994</td> </tr> <tr> <td>LEAD (Pb)</td> <td>PPM</td> <td></td> <td>1.4</td> <td>1.3</td> <td>12.3</td> </tr> <tr> <td>SULPHUR (S)</td> <td>PPM</td> <td></td> <td>11.3</td> <td>9.7</td> <td>24.4</td> </tr> <tr> <td>IRON (Fe)</td> <td>PPM</td> <td></td> <td>6.6</td> <td>3.8</td> <td>13.3</td> </tr> <tr> <td>TELLURIUM (Te)</td> <td>PPM</td> <td></td> <td>&lt; 2</td> <td>&lt; 2</td> <td>&lt; 2</td> </tr> <tr> <td>ANTIMONY (Sb)</td> <td>PPM</td> <td></td> <td>&lt; 1</td> <td>&lt; 1</td> <td>&lt; 1</td> </tr> <tr> <td>ZINC (Zn)</td> <td>PPM</td> <td></td> <td>&lt; 1.6</td> <td>&lt; 0.5</td> <td>&lt; 1.7</td> </tr> <tr> <td>COBALT (Co)</td> <td>PPM</td> <td></td> <td>&lt; 0.8</td> <td>&lt; 0.7</td> <td>&lt; 1.2</td> </tr> <tr> <td>TIN (Sn)</td> <td>PPM</td> <td></td> <td>&lt; 1</td> <td>&lt; 1</td> <td>&lt; 1</td> </tr> <tr> <td>SILICON (Si)</td> <td>PPM</td> <td></td> <td>&lt; 1</td> <td>&lt; 1</td> <td>&lt; 1</td> </tr> <tr> <td>NICKEL (Ni)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>MANGANESE (Mn)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>SELENIUM (Se)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>PHOSPHORUS (P)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>CHROMIUM (Cr)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>CADMIUM (Cd)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>BISMUTH (Bi)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>ARSENIC (As)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>SILVER (Ag)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> </tbody> </table>				LOT NUMBER	LOT WEIGHT	UNITS	RM683/17/RT105	RM677/17/RT106	RM677/17/RT107				43.925	43.728	43.804				Dry Tonne	Dry Tonne	Dry Tonne	COPPER (Cu)	%		99.997	99.998	99.994	LEAD (Pb)	PPM		1.4	1.3	12.3	SULPHUR (S)	PPM		11.3	9.7	24.4	IRON (Fe)	PPM		6.6	3.8	13.3	TELLURIUM (Te)	PPM		< 2	< 2	< 2	ANTIMONY (Sb)	PPM		< 1	< 1	< 1	ZINC (Zn)	PPM		< 1.6	< 0.5	< 1.7	COBALT (Co)	PPM		< 0.8	< 0.7	< 1.2	TIN (Sn)	PPM		< 1	< 1	< 1	SILICON (Si)	PPM		< 1	< 1	< 1	NICKEL (Ni)	PPM		< 0.5	< 0.5	< 0.5	MANGANESE (Mn)	PPM		< 0.5	< 0.5	< 0.5	SELENIUM (Se)	PPM		< 0.5	< 0.5	< 0.5	PHOSPHORUS (P)	PPM		< 0.5	< 0.5	< 0.5	CHROMIUM (Cr)	PPM		< 0.5	< 0.5	< 0.5	CADMIUM (Cd)	PPM		< 0.5	< 0.5	< 0.5	BISMUTH (Bi)	PPM		< 0.5	< 0.5	< 0.5	ARSENIC (As)	PPM		< 0.5	< 0.5	< 0.5	SILVER (Ag)	PPM		< 0.5	< 0.5	< 0.5
LOT NUMBER	LOT WEIGHT	UNITS	RM683/17/RT105	RM677/17/RT106	RM677/17/RT107																																																																																																																																		
			43.925	43.728	43.804																																																																																																																																		
			Dry Tonne	Dry Tonne	Dry Tonne																																																																																																																																		
COPPER (Cu)	%		99.997	99.998	99.994																																																																																																																																		
LEAD (Pb)	PPM		1.4	1.3	12.3																																																																																																																																		
SULPHUR (S)	PPM		11.3	9.7	24.4																																																																																																																																		
IRON (Fe)	PPM		6.6	3.8	13.3																																																																																																																																		
TELLURIUM (Te)	PPM		< 2	< 2	< 2																																																																																																																																		
ANTIMONY (Sb)	PPM		< 1	< 1	< 1																																																																																																																																		
ZINC (Zn)	PPM		< 1.6	< 0.5	< 1.7																																																																																																																																		
COBALT (Co)	PPM		< 0.8	< 0.7	< 1.2																																																																																																																																		
TIN (Sn)	PPM		< 1	< 1	< 1																																																																																																																																		
SILICON (Si)	PPM		< 1	< 1	< 1																																																																																																																																		
NICKEL (Ni)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																		
MANGANESE (Mn)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																		
SELENIUM (Se)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																		
PHOSPHORUS (P)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																		
CHROMIUM (Cr)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																		
CADMIUM (Cd)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																		
BISMUTH (Bi)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																		
ARSENIC (As)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																		
SILVER (Ag)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																		
<p align="right">Nigel Golborne Laboratory Director For and on behalf of ALFRED H KNIGHT DRC SARL</p>																																																																																																																																							
<p align="center"><b>ALFRED H KNIGHT DRC SARL</b>  10b Avenue Kigoma, Quartier Industriel, Lubumbashi, Province du Katanga, RDC  Tel: +243 81 708 7607 E-mail: ahk.drc@ahkgroup.com  M. Nat: S-83-N598198 RCCM: CDL/SH/RCCM14-B-1472 No. Impot: AT101362Q  ALL WORK IS UNDERTAKEN SUBJECT TO OUR STANDARD TRADING TERMS AND CONDITIONS OF BUSINESS</p>																																																																																																																																							

# Certifications of Copper Cathodes

CERTIFICATE OF ASSAY			 <b>Alfred H Knight</b>																																																																																																																																			
REFERENCE 103054/O	DATE Oct 04 2017	PAGE 3 of 5																																																																																																																																				
CLIENT	MARKS																																																																																																																																					
	PACKING																																																																																																																																					
	SEALS	INTACT																																																																																																																																				
CLIENT REF 617176	MATERIAL DESCRIBED AS RUASHI COPPER CATHODE																																																																																																																																					
SAMPLING DATES																																																																																																																																						
ASSAY STATE AS RECEIVED	ASSAY TYPE FINAL AND BINDING	VESSEL																																																																																																																																				
<p><b>COPPER (Cu) DETERMINED BY DIFFERENCE</b></p> <table border="1"> <thead> <tr> <th>LOT NUMBER</th> <th>LOT WEIGHT</th> <th>UNITS</th> <th>RM696/17/RT108</th> <th>RM697/17/RT109</th> <th>RM695/17/RT110</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td>43.864</td> <td>43.731</td> <td>43.903</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Dry Tonne</td> <td>Dry Tonne</td> <td>Dry Tonne</td> </tr> <tr> <td>COPPER (Cu)</td> <td>%</td> <td></td> <td>99.996</td> <td>99.997</td> <td>99.997</td> </tr> <tr> <td>LEAD (Pb)</td> <td>PPM</td> <td></td> <td>1.5</td> <td>2.4</td> <td>1.5</td> </tr> <tr> <td>SULPHUR (S)</td> <td>PPM</td> <td></td> <td>18.5</td> <td>12.2</td> <td>12.2</td> </tr> <tr> <td>IRON (Fe)</td> <td>PPM</td> <td></td> <td>9.1</td> <td>6.4</td> <td>4.2</td> </tr> <tr> <td>TELLURIUM (Te)</td> <td>PPM</td> <td></td> <td>&lt; 2</td> <td>&lt; 2</td> <td>&lt; 2</td> </tr> <tr> <td>ANTIMONY (Sb)</td> <td>PPM</td> <td></td> <td>&lt; 1</td> <td>&lt; 1</td> <td>&lt; 1</td> </tr> <tr> <td>ZINC (Zn)</td> <td>PPM</td> <td></td> <td>&lt; 1.6</td> <td>&lt; 1.6</td> <td>&lt; 0.5</td> </tr> <tr> <td>COBALT (Co)</td> <td>PPM</td> <td></td> <td>&lt; 1.2</td> <td>&lt; 0.9</td> <td>&lt; 0.7</td> </tr> <tr> <td>TIN (Sn)</td> <td>PPM</td> <td></td> <td>&lt; 1</td> <td>&lt; 1</td> <td>&lt; 1</td> </tr> <tr> <td>SILICON (Si)</td> <td>PPM</td> <td></td> <td>&lt; 1</td> <td>&lt; 1</td> <td>&lt; 1</td> </tr> <tr> <td>NICKEL (Ni)</td> <td>PPM</td> <td></td> <td>&lt; 0.7</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>MANGANESE (Mn)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.6</td> <td>&lt; 0.5</td> </tr> <tr> <td>SELENIUM (Se)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>PHOSPHORUS (P)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>CHROMIUM (Cr)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>CADMIUM (Cd)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>BISMUTH (Bi)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>ARSENIC (As)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> <tr> <td>SILVER (Ag)</td> <td>PPM</td> <td></td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> <td>&lt; 0.5</td> </tr> </tbody> </table>			LOT NUMBER	LOT WEIGHT	UNITS	RM696/17/RT108	RM697/17/RT109	RM695/17/RT110				43.864	43.731	43.903				Dry Tonne	Dry Tonne	Dry Tonne	COPPER (Cu)	%		99.996	99.997	99.997	LEAD (Pb)	PPM		1.5	2.4	1.5	SULPHUR (S)	PPM		18.5	12.2	12.2	IRON (Fe)	PPM		9.1	6.4	4.2	TELLURIUM (Te)	PPM		< 2	< 2	< 2	ANTIMONY (Sb)	PPM		< 1	< 1	< 1	ZINC (Zn)	PPM		< 1.6	< 1.6	< 0.5	COBALT (Co)	PPM		< 1.2	< 0.9	< 0.7	TIN (Sn)	PPM		< 1	< 1	< 1	SILICON (Si)	PPM		< 1	< 1	< 1	NICKEL (Ni)	PPM		< 0.7	< 0.5	< 0.5	MANGANESE (Mn)	PPM		< 0.5	< 0.6	< 0.5	SELENIUM (Se)	PPM		< 0.5	< 0.5	< 0.5	PHOSPHORUS (P)	PPM		< 0.5	< 0.5	< 0.5	CHROMIUM (Cr)	PPM		< 0.5	< 0.5	< 0.5	CADMIUM (Cd)	PPM		< 0.5	< 0.5	< 0.5	BISMUTH (Bi)	PPM		< 0.5	< 0.5	< 0.5	ARSENIC (As)	PPM		< 0.5	< 0.5	< 0.5	SILVER (Ag)	PPM		< 0.5	< 0.5	< 0.5
LOT NUMBER	LOT WEIGHT	UNITS	RM696/17/RT108	RM697/17/RT109	RM695/17/RT110																																																																																																																																	
			43.864	43.731	43.903																																																																																																																																	
			Dry Tonne	Dry Tonne	Dry Tonne																																																																																																																																	
COPPER (Cu)	%		99.996	99.997	99.997																																																																																																																																	
LEAD (Pb)	PPM		1.5	2.4	1.5																																																																																																																																	
SULPHUR (S)	PPM		18.5	12.2	12.2																																																																																																																																	
IRON (Fe)	PPM		9.1	6.4	4.2																																																																																																																																	
TELLURIUM (Te)	PPM		< 2	< 2	< 2																																																																																																																																	
ANTIMONY (Sb)	PPM		< 1	< 1	< 1																																																																																																																																	
ZINC (Zn)	PPM		< 1.6	< 1.6	< 0.5																																																																																																																																	
COBALT (Co)	PPM		< 1.2	< 0.9	< 0.7																																																																																																																																	
TIN (Sn)	PPM		< 1	< 1	< 1																																																																																																																																	
SILICON (Si)	PPM		< 1	< 1	< 1																																																																																																																																	
NICKEL (Ni)	PPM		< 0.7	< 0.5	< 0.5																																																																																																																																	
MANGANESE (Mn)	PPM		< 0.5	< 0.6	< 0.5																																																																																																																																	
SELENIUM (Se)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																	
PHOSPHORUS (P)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																	
CHROMIUM (Cr)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																	
CADMIUM (Cd)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																	
BISMUTH (Bi)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																	
ARSENIC (As)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																	
SILVER (Ag)	PPM		< 0.5	< 0.5	< 0.5																																																																																																																																	
<p>Nigel Golborne Laboratory Director For and on behalf of ALFRED H KNIGHT DRC SABL</p>																																																																																																																																						
<p><b>ALFRED H KNIGHT DRC SABL</b>  10b Avenue Kigoma, Quartier Industriel, Lubumbashi, Province du Katanga, RDC  Tel: +243 81 708 7607 E-mail: ahk.drc@ahkgroup.com  Id. Nat: 6-93-N599195 RCCM: CDA-SHIFRCCM/14-B-1472 No. Impôt: A1101382Q  ALL WORK IS UNDERTAKEN SUBJECT TO OUR STANDARD TRADING TERMS AND CONDITIONS OF BUSINESS</p>																																																																																																																																						





# Certifications of Copper Cathodes

CERTIFICATE OF ASSAY		 <b>Alfred H Knight</b>																																																																																									
REFERENCE 103054/O	DATE Oct 04 2017	PAGE 4 of 5																																																																																									
CLIENT	MARKS																																																																																										
	PACKING																																																																																										
	SEALS INTACT																																																																																										
CLIENT REF 617176	MATERIAL DESCRIBED AS RUASHI COPPER CATHODE																																																																																										
SAMPLING DATES																																																																																											
ASSAY STATE AS RECEIVED	ASSAY TYPE FINAL AND BINDING	VESSEL																																																																																									
<p><b>COPPER (Cu) DETERMINED BY DIFFERENCE</b></p> <table border="1"> <thead> <tr> <th>LOT NUMBER</th> <th>RM700/17/RT111</th> <th>RM694/17/RT112</th> <th>RM698/17/RT113</th> </tr> </thead> <tbody> <tr> <td>LOT WEIGHT</td> <td>43.749</td> <td>43.942</td> <td>43.741</td> </tr> <tr> <td>UNITS</td> <td>Dry Tonne</td> <td>Dry Tonne</td> <td>Dry Tonne</td> </tr> <tr> <td>COPPER (Cu)</td> <td>99.996</td> <td>99.997</td> <td>99.997</td> </tr> <tr> <td>LEAD (Pb)</td> <td>19.5</td> <td>2.6</td> <td>1.9</td> </tr> <tr> <td>SULPHUR (S)</td> <td>10.7</td> <td>11.9</td> <td>11.8</td> </tr> <tr> <td>IRON (Fe)</td> <td>3.9</td> <td>3.4</td> <td>5.5</td> </tr> <tr> <td>TELLURIUM (Te)</td> <td>2</td> <td>2</td> <td>2</td> </tr> <tr> <td>ANTIMONY (Sb)</td> <td>1</td> <td>1</td> <td>1</td> </tr> <tr> <td>ZINC (Zn)</td> <td>0.5</td> <td>0.5</td> <td>0.5</td> </tr> <tr> <td>COBALT (Co)</td> <td>0.7</td> <td>0.8</td> <td>1.0</td> </tr> <tr> <td>TIN (Sn)</td> <td>1</td> <td>1</td> <td>1</td> </tr> <tr> <td>SILICON (Si)</td> <td>1</td> <td>1</td> <td>1</td> </tr> <tr> <td>NICKEL (Ni)</td> <td>0.5</td> <td>0.5</td> <td>0.5</td> </tr> <tr> <td>MANGANESE (Mn)</td> <td>0.5</td> <td>0.5</td> <td>0.5</td> </tr> <tr> <td>SELENIUM (Se)</td> <td>0.5</td> <td>0.5</td> <td>0.5</td> </tr> <tr> <td>PHOSPHORUS (P)</td> <td>0.5</td> <td>0.5</td> <td>0.5</td> </tr> <tr> <td>CHROMIUM (Cr)</td> <td>0.5</td> <td>0.5</td> <td>0.5</td> </tr> <tr> <td>CADMIUM (Cd)</td> <td>0.5</td> <td>0.5</td> <td>0.5</td> </tr> <tr> <td>BISMUTH (Bi)</td> <td>0.5</td> <td>0.5</td> <td>0.5</td> </tr> <tr> <td>ARSENIC (As)</td> <td>0.5</td> <td>0.5</td> <td>0.5</td> </tr> <tr> <td>SILVER (Ag)</td> <td>0.5</td> <td>0.5</td> <td>0.5</td> </tr> </tbody> </table>				LOT NUMBER	RM700/17/RT111	RM694/17/RT112	RM698/17/RT113	LOT WEIGHT	43.749	43.942	43.741	UNITS	Dry Tonne	Dry Tonne	Dry Tonne	COPPER (Cu)	99.996	99.997	99.997	LEAD (Pb)	19.5	2.6	1.9	SULPHUR (S)	10.7	11.9	11.8	IRON (Fe)	3.9	3.4	5.5	TELLURIUM (Te)	2	2	2	ANTIMONY (Sb)	1	1	1	ZINC (Zn)	0.5	0.5	0.5	COBALT (Co)	0.7	0.8	1.0	TIN (Sn)	1	1	1	SILICON (Si)	1	1	1	NICKEL (Ni)	0.5	0.5	0.5	MANGANESE (Mn)	0.5	0.5	0.5	SELENIUM (Se)	0.5	0.5	0.5	PHOSPHORUS (P)	0.5	0.5	0.5	CHROMIUM (Cr)	0.5	0.5	0.5	CADMIUM (Cd)	0.5	0.5	0.5	BISMUTH (Bi)	0.5	0.5	0.5	ARSENIC (As)	0.5	0.5	0.5	SILVER (Ag)	0.5	0.5	0.5
LOT NUMBER	RM700/17/RT111	RM694/17/RT112	RM698/17/RT113																																																																																								
LOT WEIGHT	43.749	43.942	43.741																																																																																								
UNITS	Dry Tonne	Dry Tonne	Dry Tonne																																																																																								
COPPER (Cu)	99.996	99.997	99.997																																																																																								
LEAD (Pb)	19.5	2.6	1.9																																																																																								
SULPHUR (S)	10.7	11.9	11.8																																																																																								
IRON (Fe)	3.9	3.4	5.5																																																																																								
TELLURIUM (Te)	2	2	2																																																																																								
ANTIMONY (Sb)	1	1	1																																																																																								
ZINC (Zn)	0.5	0.5	0.5																																																																																								
COBALT (Co)	0.7	0.8	1.0																																																																																								
TIN (Sn)	1	1	1																																																																																								
SILICON (Si)	1	1	1																																																																																								
NICKEL (Ni)	0.5	0.5	0.5																																																																																								
MANGANESE (Mn)	0.5	0.5	0.5																																																																																								
SELENIUM (Se)	0.5	0.5	0.5																																																																																								
PHOSPHORUS (P)	0.5	0.5	0.5																																																																																								
CHROMIUM (Cr)	0.5	0.5	0.5																																																																																								
CADMIUM (Cd)	0.5	0.5	0.5																																																																																								
BISMUTH (Bi)	0.5	0.5	0.5																																																																																								
ARSENIC (As)	0.5	0.5	0.5																																																																																								
SILVER (Ag)	0.5	0.5	0.5																																																																																								
<p style="text-align: right;">Nigel Golborne Laboratory Director For and on behalf of ALFRED H KNIGHT DRC SARI.</p>																																																																																											
<p style="text-align: center;"><b>ALFRED H KNIGHT DRC SARI</b>  10b Avenue Kigoma, Quartier Industriel, Lubumbashi, Province du Katanga, RDC  Tel: +243 81 768 7687 E-mail: ahk.drc@ahkgroup.com  Id. Nat: 9-83-N598195 R.C.M. CD/LSH/RCCM4-6-1472 No. Impot: A11013820  ALL WORK IS UNDERTAKEN SUBJECT TO OUR STANDARD TRADING TERMS AND CONDITIONS OF BUSINESS</p>																																																																																											

16



# Case Study of Copper Cathodes

<b>SHIPPER</b> HBKCS INTERNATIONAL CO., LIMITED HK CHINA OFFICE-UNIT 706, HALESON BUILDING NO.1, JUBLIEE STREET, HONG KONG. Tel: + 852-3748-9557 Fax: + 852-3743-5658 Email: hbkcs.international@gmail.com		<b>ORIGINAL BILL OF LADING</b>		VOYAGE NUMBER 04J0AE1MA BILL OF LADING NUMBER ABQ0104112
<b>CONSIGNEE</b>		<b>EXPORT REFERENCES</b>   <b>CARRIER:</b> CMA CGM Société Anonyme au Capital de 234 988 330 Euros Head Office: 4, quai d'Arenc - 13002 Marseille - France Tel. (33) 4 88 91 50 00 - Fax: (33) 4 88 91 50 95 562 024 422 R.C.S. Marseille		
<b>NOTIFY PARTY:</b> Carrier not to be responsible for failure to notify		<b>PRE CARRIAGE BY:</b> <b>PLACE OF RECEIPT:</b> <b>DURBAN</b> <b>FRIGHT TO BE PAID AT:</b> <b>NUMBER OF ORIGINAL BILLS OF LADING:</b> <b>THREE (3)</b>		
<b>EM CINOUSSSES</b>	<b>VESSEL</b> BEIRA	<b>PORT OF LOADING</b> KARACHI	<b>PORT OF DISCHARGE</b>	<b>FINAL PLACE OF DELIVERY</b>
<b>MARKS AND NOS CONTAINER AND SEALS</b>	<b>NO AND KIND OF PACKAGES</b>	<b>DESCRIPTION OF PACKAGES AND GOODS AS STATED BY SHIPPER SHIPPER'S LOAD, STOW AND COUNT</b>	<b>GROSS WEIGHT CARGO</b> KGS	<b>TARE</b> KGS
BEAU2227834 SEAL G0686232	1 x 20ST 9 BUNDLES		23023.000	2210
CMAU0544950 SEAL G0686233	1 x 20ST 9 BUNDLES		22878.000	2190
CMAU0932895 SEAL G0686234	1 x 20ST 9 BUNDLES		22861.000	1960
CRSU1454811 SEAL G0686235	1 x 20ST 9 BUNDLES		23031.000	2190
TEMU1082035 SEAL G0686236	1 x 20ST 9 BUNDLES		23179.000	2230
TEMU2561264 SEAL G0686237	1 x 20ST 9 BUNDLES		22980.000	2200
TLLU2096158 SEAL G0686238	1 x 20ST 9 BUNDLES		22998.000	2230
TRHU2349808 SEAL G0686239	1 x 20ST 9 BUNDLES		23120.000	2100
TRHU3125021	1 x 20ST 10 BUNDLES		24974.000	2180
Continued on Next Sheet Sheet 1 of 2 ABOVE PARTICULARS DECLARED BY SHIPPER, CARRIER NOT RESPONSIBLE.				
<b>ADDITIONAL CLAUSES</b>				
4. Cargo at port is at merchant risk, expenses and responsibility 5. PCL 77. THC at destination payable by consignee as per line/port tariff 194. For the purpose of the present carriage, clause 14(2) shall exclude the application of the York-Antwerp rules 2004. 202. Demurrage and detention shall be calculated and paid as per general tariff available on the web site www.cma-cgm.com, or in any of CMA CGM agency. However if special free time conditions are granted, then rates applicable as per general tariff shall start from the day following the last free day. 216. Mis-declaration of cargo weight endangers crew, port workers and vessels' safety. Your cargo may be weighed at any place and time of carriage and any mis-declaration will expose you to claims for all losses, expenses or damages whatsoever resulting thereof and be subject to freight surcharge. 225. The shipper acknowledges that the Carrier may carry the goods identified in this bill of lading on the deck of any vessel and in taking remittance of this bill of lading the Merchant (including the shipper, the consignee and the holder of the bill of lading, as the case may be) confirms his express acceptance of all the terms and conditions of this bill of lading and expressly confirms his unconditional and irrevocable consent to the possible carriage of the goods on the deck of any vessel. 274. The Merchant is responsible for returning any empty container, with interior clean, free of any dangerous goods, placards, labels or markings, at the designated place, and within 60 days following to the date of release, failing which the container shall be construed as lost. The Merchant shall be liable to indemnify the Carrier for any loss or expense whatsoever arising out of the foregoing, including but not limited to liquidated damages equivalent to the sound market value - or the depreciated value due by the Carrier to a container lessor. The Carrier is entitled to collect a deposit from the Merchant at the time of release of the container which shall be remitted as security for payment of any sums due to the Carrier, in particular for payment of all detention and demurrage and/or container indemnity as referred above.				
RECEIVED by the carrier from the shipper in apparent good order and condition (unless otherwise noted herein) the total number or quantity of Containers or other packages or units indicated above stated by the shipper to comprise the cargo specified above for transportation subject to all the terms hereof (including the terms on page one) from the place of receipt or the port of loading, whichever is applicable, to the port of discharge or the place of delivery, whichever is applicable. Delivery of the Goods will only be made on payment of all Freight and charges. On presentation of this document (duly endorsed) to the Carrier, by or on behalf of the holder, the rights and liabilities arising in accordance with the terms hereof shall (without prejudice to any rule of common law or statutes rendering them binding upon the shipper, holder and carrier) become binding in all respects between the Carrier and Holder as though the contract contained herein or evidenced hereby had been made between them. All claims and actions arising between the Carrier and the Merchant in relation with the contract of Carriage evidenced by this Bill of Lading shall exclusively be brought before the Tribunal de Commerce de Marseille and no other Court shall have jurisdiction with regards to any such claim or action. Notwithstanding the above, the Carrier is also entitled to bring the claim or action before the Court of the place where the defendant has his registered office. In witness whereof three (3) original Bills of Lading, unless otherwise stated above, have been issued, one of which being accomplished, the others to be void. (OTHER TERMS AND CONDITIONS OF THE CONTRACT ON PAGE ONE)				
<b>PLACE AND DATE OF ISSUE</b> TAIPEI 02 MAY 2018		<b>SIGNED FOR THE CARRIER CMA CGM S.A.</b> BY CMA CGM (Taiwan) Limited as agents for the carrier CMA CGM S. A.		
<b>SIGNED FOR THE SHIPPER</b> *APPLICABLE ONLY WHEN THIS DOCUMENT IS USED AS A COMBINED TRANSPORT BILL OF LADING				



# Case Study of Copper Cathodes

CMA CGM				ORIGINAL BILL OF LADING		VOYAGE NUMBER 04J0AE1MA	
				BILL OF LADING NUMBER ABQ0104112			
PRE CARRIAGE BY*		PLACE OF RECEIPT*		FREIGHT TO BE PAID AT		NUMBER OF ORIGINAL BILLS OF LADING	
VESSEL		PORT OF LOADING		PORT OF DISCHARGE		THREE (3)	
OINOUSSES		BEIRA		KARACHI		FINAL PLACE OF DELIVERY*	
MARKS AND NOS CONTAINER AND SEALS		NO AND KIND OF PACKAGES		DESCRIPTION OF PACKAGES AND GOODS AS STATED BY SHIPPER SHIPPER'S LOAD, STOW AND COUNT SAID TO CONTAIN		GROSS WEIGHT CARGO	
						TARE	
						MEASUREMENT	
						KGS	
						KGS	
						CBM	
AL G0686240		1 x 20ST		10 BUNDLES		24902.000	
MU1622177						2230	
AL G0686127						33.000	
Contract Number: S-FP-PUR-WBM 17-18, DATED -8-2017.				COPPER CATHODE DETAILS AS PER BENEFICIARY PROFORMA INVOICE NO TC-309-2018 DATED 04-AUG-2017 AND APPLICANTS CONTACT NO.			
Full address of the consignee:				H.S. CODE NUMBER(S) 7403.1100			
Description of Copper Cathode				GROSS WEIGHT: 233.946 MT NETT WEIGHT: 233.336 MT No. of bundles: 92 Bundles			
Gross Weight: Net Weight				FREIGHT PREPAID			
Name of the Supplier: HBKCS Entity in that particular package/container Shipping number							
Shipped on Board EM OINOUSSES 02-MAY-2018 CMA CGM MOZAMBIQUE Lda As agents for the Carrier							
Weight in Kgs Total: 10 CONTAINER(S)				Continued From Previous Sheet Sheet 2 of 2		233946.000	
						21720	
						330.000	
				ABOVE PARTICULARS DECLARED BY SHIPPER. CARRIER NOT RESPONSIBLE.			
DATE AND DATE OF ISSUE				TAIPEI		02 MAY 2018	
SIGNED FOR THE SHIPPER				SIGNED FOR THE CARRIER CMA CGM S.A.		BY CMA CGM (Taiwan) Limited	
APPLICABLE ONLY WHEN THIS DOCUMENT IS USED AS A COMBINED				as agents for the carrier CMA CGM S. A.			
IMPORT BILL OF LADING							

BL LARA CMA CGM - printed by www.etc-iran.com - 03/17

# Case Study of Copper Cathodes

SHIPPER		BILL OF LADING FOR OCEAN TRANSPORT OR MULTIMODAL TRANSPORT		SCAC	SAFM
HBKCS INTERNATIONAL CO., LIMITED HK CHINA OFFICE-UNIT 706, HALESON BUILDING, NO.1 JUBILEE STREET, HONGKONG.		Booking No. NPOAP9719		B/L No. NPOAP9719	
		Export references		B/L Contract 3385656	
		Onward inland routing (Not part of Carriage as defined in clause 1. For account and risk of Merchant)			
Consignee (negotiable only if consigned "to order", "to order of" a named Person or "to order of bearer")		Notify Party (see clause 22)			
Vessel (see clause 1 + 19) OOCL BUSAN	Voyage No. 141W	Place of Receipt: Applicable only when document used as Multimodal Transport B/L (see clause 1)			
Port of Loading NINGBO, CHINA	Port of Discharge PORT KARACHI, PAKISTAN	Place of Delivery: Applicable only when document used as Multimodal Transport B/L (see clause 1)			
<b>PARTICULARS FURNISHED BY SHIPPER</b>					
Kind of Packages; Description of goods; Marks and Numbers; Container No./Seal No.		Weight		Measurement	
4 containers said to contain 36 BUNDLES  CFR KARACHI SEA PORT, PAKISTAN COPPER CATHODE DETAILS AS PER BENEFICIARY PROFORMA INVOICE NO TC-212-2018 DATED 26 FEBRUARY 2018 AND APPLICANTS DT 04-AUG-2017. L/C NUMBER: 0239ILC036152. H.S CODE NUMBER(S) 7403.1100 N.W.: 96028KGS ---  CONTRACT NUMBER: 005-FP-PUR-WBM 2017-18, DATED 04-8-2017. FULL ADDRESS OF THE CONSIGNEE: DESCRIPTION OF STORE: COPPER CATHODE GROSS WEIGHT: NET WEIGHT NAME OF THE SUPPLIER: HBKCS QUANTITY IN THAT PARTICULAR PACKAGE/CONTAINER RUNNING NUMBER  MSKU4358425 ML-CN9408691 20 DRY 8'6 9 BUNDLES 22838.000 KGS 20.0000 CBM PONU0171890 ML-CN9408700 20 DRY 8'6 9 BUNDLES 24486.000 KGS 20.0000 CBM MSKU4121011 ML-CN9411022 20 DRY 8'6 9 BUNDLES 24194.000 KGS 20.0000 CBM Above particulars as declared by Shipper, but without responsibility of or representation by Carrier (see clause 14)		96064.000 KGS		80.0000 CBM	
Freight & Charges		Rate	Unit	Currency	Prepaid
Carrier's Receipt (see clause 1 and 14). Total number of containers or packages received by Carrier. 4 containers		Place of Issue of B/L Ningbo			
Number & Sequence of Original B/L(s). 1/THREE		Date of Issue of B/L 2018-03-09			
Declared Value (see clause 7.3)		Shipped on Board Date (Local Time) 2018-03-01			
<p>SHIPPED, as far as ascertained by reasonable means of checking, in apparent good order and condition unless otherwise stated herein, the total number or quantity of Containers or other packages or units indicated in the box entitled "Carrier's Receipt" for carriage from the Port of Loading to the Place of Receipt, if mentioned above to the Port of Discharge or the Place of Delivery, if mentioned above, such carriage being always subject to the terms, rights, liabilities, provisions, conditions, exceptions, limitations, and clauses hereof (INCLUDING ALL THROUGH TERMS AND CONDITIONS ON THE REVERSE HEREOF OF APPLICABLE TARIFFS AND THROUGH TERMS AND CONDITIONS CONTAINED IN THE CARRIER'S APPLICABLE TARIFF) and the Merchant's attention is drawn in particular to the Carrier's liability in respect of on deck stowage (see clause 15) and the carrying vessel (see clause 16). Where the bill of lading is non-negotiable the Carrier may pre-delivery of the Goods to the named consignee upon reasonable proof of identity and without requiring surrender of an original bill of lading, where the bill of lading is negotiable, the Merchant is obliged to surrender one original, duly endorsed, in exchange for the Goods. The Carrier accepts a duty of reasonable care to check that any such document which the Merchant surrenders as a bill of lading is genuine and original. If the Carrier complies with this duty, it will be entitled to deliver the Goods against what it reasonably believes to be a genuine and original bill of lading, such delivery discharging the Carrier's delivery obligations. In accepting this bill of lading, any local customs or ordinances to the contrary notwithstanding, the Merchant agrees to be bound by all Terms and Conditions stated herein whether written, printed, stamped or incorporated on the face or reverse, and to act as fully as if they were all signed by the Merchant.</p> <p>IN TESTIMONY WHEREOF the number of original Bills of Lading stated on this side have been signed and wherever one original Bill of Lading has been surrendered any others shall be void.</p> <p>Signed for the Carrier Maersk Line A/S trading as Safmarine</p> <p><i>Primefung</i> As Agent(s)</p> <p>CHINA SHIPPING CO. LTD. SHANGHAI 中國郵政船務有限公司 上海</p>					

This transport document has one or more numbered pages



Page : 1/1

CY/CY

20



# Case Study of Copper Cathodes

COSCO 中远海运集装箱运输有限公司 COSCO SHIPPING LINES CO., LTD.		ORIGINAL		TLX: 33057 COSCO SHIPPING FAX: +86(21) 65458984	
1. Shipper Insert Name Address and Phone/Fax HBKCS INTERNATIONAL CO, LTD UNIT 706, HALESON BUILDING, NO. 1 JUBILEE STREET, HONG KONG		Booking No. 6163889710		Bill of Lading No. COSU6163889710	
2. Consignee Insert Name Address and Phone/Fax		Export References		Forwarding Agent and References FMC/CHB No.	
3. Notify Party Insert Name Address and Phone/Fax (It is agreed that no responsibility shall attach to the Carrier or its agents for failure to notify)		Point and Country of Origin		Also Notify Party-routing & Instructions	
4. Combined Transport* Pre-Carriage by		5. Combined Transport* Place of Receipt DAR-ES-SALAAM, TANZANIA		Service Contract No.	
6. Ocean Vessel Voy. No. NORDMED 04G10E1MA		7. Port of Loading DAR-ES-SALAAM, TANZANIA		Commodity Code	
8. Port of Discharge KARACHI, PAKISTAN		9. Combined Transport* Place of Delivery KARACHI, PAKISTAN		Type of Movement FCL / FCL CY-CY	
Marks & Nos. Container / Seal No.	No. of Container or Packages	Description of Goods (If Dangerous Goods, See Clause 20)		Gross Weight	Measurement
N/M	99 BUNDLES	GROSS WEIGHT 165,391 KGS 99 BUNDLES OF COPPER CATHODES SHIPPED ON BOARD FREIGHT PREPAID H.S CODE 740311  AS PER BENEFICIARY PROFORMA INVOICE TC-309C-2018 DATED  COPPER CATHODES		165391.000KGS	
OCEAN FREIGHT PREPAID ON CY-CY TERM SHIPPER'S LOAD STOW COUNT AND SEAL					
SEGU1924538	/8978821	**	TO BE CONTINUED ON ATTACHED LIST **	/20GP/24,366.000KG	
Declared Cargo Value US\$					
10. Total Number of Containers and/or Packages (in words) Subject to Clause 7 Limitation SAY SEVEN CONTAINERS TOTAL					
11. Freight & Charges	Revenue Tons	Rate	Per	Amount	Prepaid Collect Freight & Charges Payable at / by
<p>Received in external apparent good order and condition except as otherwise noted. The total number of the packages or units stuffed in the container, the description of the goods and the weights shown in this Bill of Lading are furnished by the merchants, and which the carrier has no reasonable means of checking and is not a part of this Bill of Lading contract. The carrier has issued this original Bill of Lading, all of this tenor and date, one of the original Bills of Lading must be surrendered and endorsed or signed against the delivery of the shipment and whereupon any other original Bills of Lading shall be void. The merchants agree to be bound by the terms and conditions of this Bill of Lading as if each had personally signed this Bill of Lading.</p> <p>*Applicable Only When Document Used as a Combined Transport Bill of Lading. Demurrage and Detention shall be charged according to the tariff published on the Home page of LINES.COSCOSHIPPING.COM. If any ambiguity or query, please search by Demurrage &amp; Detention Tariff Enquiry. Other services and more detailed information, pls visit LINES.COSCOSHIPPING.COM.</p> <p>0701 Date of Issue 22 NOV 2018 Place of Issue DAR ES SALAAM</p>					
<p>0701 Date of Issue 22 NOV 2018 Place of Issue DAR ES SALAAM</p>				<p>Date Laden on Board 22 NOV 2018</p> <p>Signed by: Chinese-Tanzanian Joint Shipping Co. As Agent for the Carrier COSCO SHIPPING LINES CO. LTD.</p>	
Signed for the Carrier, COSCO SHIPPING LINES CO., LTD.					

# Case Study of Copper Cathodes

COSCO SHIPPING 中远海运集装箱运输有限公司 COSCO SHIPPING LINES CO., LTD.		ORIGINAL		
Vessel: NORDMED		Voyage: 04G10E1MA		B/L NO.: COSU6163889710 PAGE: 2 OF 2
Mark & Nos. Container / Seal No.	No. of Container or Packages	Description Of Goods (If Dangerous Goods, See Clause 20)		Gross Weight
TRLU9738944 /8978822	/	14 BUNDLES	/FCL / FCL	/20GP/23,396.000KG
TEMU3030220 /8978823	/	14 BUNDLES	/FCL / FCL	/20GP/23,524.000KG
UETU2162316 /8978824	/	14 BUNDLES	/FCL / FCL	/20GP/23,583.000KG
CSLU1688890 /8978825	/	14 BUNDLES	/FCL / FCL	/20GP/23,439.000KG
TEMU4917591 /8978826	/	14 BUNDLES	/FCL / FCL	/20GP/23,583.000KG
BMOU1049840 /8978827	/	14 BUNDLES	/FCL / FCL	/20GP/23,500.000KG



HBKCS INTERNATIONAL CO, LTD  
Unit 706, Haleson Building, No. 1  
Jubilee Street, Hong Kong  
Tel: + 852-3748-9557  
Fax: + 852-3743-5658  
Website : [www.hbkcs-solar.com](http://www.hbkcs-solar.com)  
Email: [hbksinternational@gmail.com](mailto:hbksinternational@gmail.com)